

## Safety data sheet According to 1907/2006/EC, Article 31

Printing date 02.06.2015

Version number 1

Revision: 02.06.2015

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

- **1.1 Product identifier**
- **Trade name: FJ LP-DS DEVELOPER RTU 10L**
- **Article number:** 979567
- **Registration number**  
Registration numbers of the individual components: see section 3.2, if applicable.
- **1.2 Relevant identified uses of the substance or mixture and uses advised against -**
- **Application of the substance / the preparation:** Graphic product (field: plate development)
- **Uses advised against**  
Only for professional use.  
Do not use for private purposes (household).
- **1.3 Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**  
FUJIFILM Belgium NV  
EUROPARK NOORD 21-22  
9100 SINT-NIKLAAS  
BELGIUM  
TEL: +32 3 760 02 00  
FAX: +32 3 776 91 22  
  
FUJIFILM UK LTD  
ST MARTINS WAY  
ST MARTINS BUSINESS CENTRE  
BEDFORD  
MK42 OLF  
UNITED KINGDOM
- **Further information obtainable from:** ehs@fujifilm.eu
- **1.4 Emergency telephone number:** +32 3 760 02 00 (office hour: 8u-16u30)

### SECTION 2: Hazards identification

- **2.1 Classification of the substance or mixture**
- **Classification according to Regulation (EC) No 1272/2008**  
Met. Corr.1 H290 May be corrosive to metals.  
Skin Corr. 1A H314 Causes severe skin burns and eye damage.
- **Classification according to Directive 67/548/EEC or Directive 1999/45/EC** Not applicable.
- **Information concerning particular hazards for human and environment:**  
The product does not have to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.
- **Classification system:**  
The classification is according to the latest editions of the EU-lists, and extended by company and literature data.
- **2.2 Label elements**
- **Labelling according to Regulation (EC) No 1272/2008**  
The product is classified and labelled according to the CLP regulation.

(Cont. on page 2)

## Safety data sheet According to 1907/2006/EC, Article 31

Printing date 02.06.2015

Version number 1

Revision: 02.06.2015

Trade name: FJ LP-DS DEVELOPER RTU 10L

(Cont. from page 1)

· **Hazard pictograms**



GHS05

· **Signal word** Danger

· **Hazard-determining components of labelling:**

potassium hydroxide

· **Hazard statements**

H290 May be corrosive to metals.

H314 Causes severe skin burns and eye damage.

· **Precautionary statements**

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

· **2.3 Other hazards**

· **Results of PBT and vPvB assessment**

· **PBT:** Not applicable.

· **vPvB:** Not applicable.

### SECTION 3: Composition/information on ingredients

· **3.2 Mixtures**

· **Description:** Mixture of substances listed below with nonhazardous additions.

· **Dangerous components:**

|            |  |                    |      |
|------------|--|--------------------|------|
| 35545-57-4 | Polyoxyethylene $\beta$ -naphthylether | Xn R22             | 3-7% |
|            |  | Acute Tox. 4, H302 |      |

· **Additional information:** For the wording of the listed risk phrases refer to section 16.

### SECTION 4: First aid measures

· **4.1 Description of first aid measures**

· **General information:** Immediately remove any clothing soiled by the product.

· **After inhalation:** Supply fresh air; consult doctor in case of complaints.

· **After skin contact:** Immediately wash with water and soap and rinse thoroughly.

· **After eye contact:**

Rinse opened eye for several minutes under running water. Then consult a doctor.

· **After swallowing:** Drink plenty of water and provide fresh air. Call for a doctor immediately.

· **4.2 Most important symptoms and effects, both acute and delayed**

No further relevant information available.

(Cont. on page 3)

## Safety data sheet According to 1907/2006/EC, Article 31

Printing date 02.06.2015

Version number 1

Revision: 02.06.2015

**Trade name: FJ LP-DS DEVELOPER RTU 10L**

(Cont. from page 2)

- **4.3 Indication of any immediate medical attention and special treatment needed**  
No further relevant information available.

### SECTION 5: Firefighting measures

- **5.1 Extinguishing media**
- **Suitable extinguishing agents:**  
CO<sub>2</sub>, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- **For safety reasons unsuitable extinguishing agents:** None.
- **5.2 Special hazards arising from the substance or mixture**  
No further relevant information available.
- **5.3 Advice for firefighters**
- **Protective equipment:** No special measures required.
- **Additional information**  
Collect contaminated fire fighting water separately. It must not enter the sewage system.

### SECTION 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures** Not required.
- **6.2 Environmental precautions:**  
Dilute with plenty of water.  
Do not allow to enter sewers/ surface or ground water.
- **6.3 Methods and material for containment and cleaning up:**  
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- **6.4 Reference to other sections** No dangerous substances are released.

### SECTION 7: Handling and storage

- **7.1 Precautions for safe handling** Ensure good ventilation/exhaustion at the workplace.
- **Information about fire - and explosion protection:** No special measures required.
- **7.2 Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:**  
Store only in the original receptacle.  
Store in cool, dry conditions in well sealed receptacles.
- **Information about storage in one common storage facility:** Store away from foodstuffs.
- **Further information about storage conditions:** Protect from frost.
- **Storage class:** 8 B
- **7.3 Specific end use(s)** No further relevant information available.

### SECTION 8: Exposure controls/personal protection

- **Additional information about design of technical facilities:** No further data; see item 7.

(Cont. on page 4)

## Safety data sheet According to 1907/2006/EC, Article 31

Printing date 02.06.2015

Version number 1

Revision: 02.06.2015

**Trade name: FJ LP-DS DEVELOPER RTU 10L**

(Cont. from page 3)

- **8.1 Control parameters**
- **Ingredients with limit values that require monitoring at the workplace:**  
The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
- **Additional information:** The lists valid during the making were used as basis.
- **8.2 Exposure controls**
- **Personal protective equipment:**
- **General protective and hygienic measures:**  
Wash hands before breaks and at the end of work.  
Avoid contact with the eyes and skin.  
Do not eat or drink while working.
- **Respiratory protection:** Not necessary if room is well-ventilated.
- **Protection of hands:**  
The protective gloves to be used must comply with the specifications of the EC directive 89/686/EEC and the resultant standard EN 374.



Protective gloves

- **Material of gloves**  
Use chemical resistant gloves. In case of prolonged immersion or frequently repeated contact use gloves made of the materials: butyl rubber (thickness  $\geq 0.36$  mm, breakthrough time  $> 480$  min), nitrile rubber (thickness  $\geq 0.38$  mm, breakthrough time  $> 480$  min) or neoprene (thickness  $\geq 0.65$  mm, breakthrough time  $> 240$  min).
- **As protection from splashes gloves made of the following materials are suitable:**  
For intermittent splash protection corresponding gloves with breakthrough time  $> 60$  min. can be used.
- **Not suitable are gloves made of the following materials:** Natural rubber, NR
- **Eye protection:**



Safety glasses

EN166

- **Body protection:** Protective work clothing

### SECTION 9: Physical and chemical properties

- **9.1 Information on basic physical and chemical properties**
- **General Information**
- **Appearance:**

|                  |                 |
|------------------|-----------------|
| Form:            | Liquid          |
| Colour:          | Light yellow    |
| Odour:           | Mild            |
| Odour threshold: | Not determined. |
- **pH-value at 20 °C:** 12

(Cont. on page 5)

## Safety data sheet According to 1907/2006/EC, Article 31

Printing date 02.06.2015

Version number 1

Revision: 02.06.2015

**Trade name: FJ LP-DS DEVELOPER RTU 10L**

(Cont. from page 4)

|   |   |
|---|---|
| · <b>Change in condition</b><br><b>Melting point/Melting range:</b> | Undetermined.                                 |
| <b>Boiling point/Boiling range:</b>                                 | Undetermined.                                 |
| · <b>Flash point:</b>   | Not applicable.                               |
| · <b>Flammability (solid, gaseous):</b>                             | Not applicable.                               |
| · <b>Ignition temperature:</b>                                      | Not determined.                               |
| · <b>Self-igniting:</b>   | Product is not selfigniting.                  |
| · <b>Danger of explosion:</b>                                       | Product does not present an explosion hazard. |
| · <b>Explosion limits:</b><br><b>Lower:</b>                         | Not determined.                               |
| <b>Upper:</b>   | Not determined.                               |
| · <b>Oxidising properties</b>                                       | Not applicable.                               |
| · <b>Vapour pressure:</b>   | Not determined.                               |
| · <b>Density at 20 °C:</b>  | 1.011 g/cm <sup>3</sup>                       |
| · <b>Relative density</b>   | Not determined.                               |
| · <b>Vapour density</b>   | Not determined.                               |
| · <b>Evaporation rate</b>   | Not determined.                               |
| · <b>Solubility in / Miscibility with water:</b>                    | Fully miscible.                               |
| · <b>Partition coefficient (n-octanol/water):</b>                   | Not determined.                               |
| · <b>Viscosity:</b><br><b>Dynamic:</b>                              | Not determined.                               |
| <b>Kinematic:</b>   | Not determined.                               |
| · <b>Solvent content:</b><br><b>VOC (EC)</b>                        | 0.00 %  |
| · <b>9.2 Other information</b>                                      | No further relevant information available.    |

### SECTION 10: Stability and reactivity

- **10.1 Reactivity** No dangerous reactions known.
- **10.2 Chemical stability**
- **Thermal decomposition / conditions to be avoided:**  
No decomposition if used according to specifications.
- **10.3 Possibility of hazardous reactions** No dangerous reactions known.
- **10.4 Conditions to avoid** See "Fire Fighting measures".
- **10.5 Incompatible materials:** No further relevant information available.
- **10.6 Hazardous decomposition products:** No dangerous decomposition products known.

GB  
(Cont. on page 6)

## Safety data sheet According to 1907/2006/EC, Article 31

Printing date 02.06.2015

Version number 1

Revision: 02.06.2015

**Trade name: FJ LP-DS DEVELOPER RTU 10L**

(Cont. from page 5)

### SECTION 11: Toxicological information

- **11.1 Information on toxicological effects**
- **Acute toxicity**
- **Primary irritant effect:**
- **Skin corrosion/irritation** Caustic effect on skin and mucous membranes.
- **Serious eye damage/irritation** Strong caustic effect.
- **Respiratory or skin sensitisation** No sensitising effects known.
- **Additional toxicological information:**  
The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version:  
Corrosive  
Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

### SECTION 12: Ecological information

- **12.1 Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **12.2 Persistence and degradability** No further relevant information available.
- **12.3 Bioaccumulative potential** No further relevant information available.
- **12.4 Mobility in soil** No further relevant information available.
- **Additional ecological information:**
- **General notes:**  
Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water  
Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.  
Rinse off of bigger amounts into drains or the aquatic environment may lead to increased pH-values. A high pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably reduced, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.
- **12.5 Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **12.6 Other adverse effects** No further relevant information available.

### SECTION 13: Disposal considerations

- **13.1 Waste treatment methods**
- **Recommendation** Smaller quantities can be disposed of with household waste.

· **European waste catalogue**

|           |  |
|-----------|--|
| 09 00 00  | WASTES FROM THE PHOTOGRAPHIC INDUSTRY        |
| 09 01 00  | wastes from the photographic industry        |
| 09 01 02* | water-based offset plate developer solutions |

- **Uncleaned packaging:**
- **Recommendation:** Disposal must be made according to official regulations.

(Cont. on page 7)

## Safety data sheet According to 1907/2006/EC, Article 31

Printing date 02.06.2015

Version number 1


Revision: 02.06.2015

**Trade name: FJ LP-DS DEVELOPER RTU 10L**

(Cont. from page 6)

· **Recommended cleansing agents:** Water, if necessary together with cleansing agents.

### SECTION 14: Transport information

|   |  |
|---|--|
| · 14.1 UN-Number<br>· ADR, IMDG, IATA   | UN1814   |
| · 14.2 UN proper shipping name<br>· ADR<br>· IMDG, IATA   | 1814 POTASSIUM HYDROXIDE SOLUTION<br>POTASSIUM HYDROXIDE SOLUTION  |
| · 14.3 Transport hazard class(es)<br>· ADR, IMDG, IATA  |                                      |
| · Class<br>· Label  | 8 Corrosive substances.<br>8   |
| · 14.4 Packing group<br>· ADR, IMDG, IATA   | III  |
| · 14.5 Environmental hazards:<br>· Marine pollutant:  | No   |
| · 14.6 Special precautions for user<br>· Danger code (Kemler):<br>· EMS Number:<br>· Segregation groups | Warning: Corrosive substances.<br>80<br>F-A,S-B<br>Alkalis   |
| · 14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code                          | Not applicable.  |
| · Transport/Additional information:   |  |
| · ADR<br>· Limited quantities (LQ)<br>· Excepted quantities (EQ)  | 5L<br>Code: E1<br>Maximum net quantity per inner packaging: 30 ml<br>Maximum net quantity per outer packaging: 1000 ml |
| · Transport category<br>· Tunnel restriction code   | 3<br>E   |
| · IMDG<br>· Limited quantities (LQ)<br>· Excepted quantities (EQ)                                       | 5L<br>Code: E1<br>Maximum net quantity per inner packaging: 30 ml<br>Maximum net quantity per outer packaging: 1000 ml |

(Cont. on page 8)

## Safety data sheet According to 1907/2006/EC, Article 31

Printing date 02.06.2015

Version number 1

Revision: 02.06.2015

**Trade name: FJ LP-DS DEVELOPER RTU 10L**

(Cont. from page 7)

|   |   |
|---|---|
| <ul style="list-style-type: none"> <li>· <b>UN "Model Regulation":</b></li> </ul> | UN1814, POTASSIUM HYDROXIDE SOLUTION,<br>8, III |
|---|---|

### SECTION 15: Regulatory information

- **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **Directive 2012/18/EU**
- **Named dangerous substances - ANNEX I** None of the ingredients is listed.
- **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

### SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- **Relevant phrases**  
H302 Harmful if swallowed.
- R22 Harmful if swallowed.
- **Creation Date** 18.05.2009
- **Abbreviations and acronyms:**  
 ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)  
 IMDG: International Maritime Code for Dangerous Goods  
 IATA: International Air Transport Association  
 GHS: Globally Harmonised System of Classification and Labelling of Chemicals  
 EINECS: European Inventory of Existing Commercial Chemical Substances  
 ELINCS: European List of Notified Chemical Substances  
 CAS: Chemical Abstracts Service (division of the American Chemical Society)  
 VOC: Volatile Organic Compounds (USA, EU)  
 Met. Corr.1: Corrosive to metals, Hazard Category 1  
 Acute Tox. 4: Acute toxicity, Hazard Category 4  
 Skin Corr. 1A: Skin corrosion/irritation, Hazard Category 1A
- **\* Data modified compared to previous version.**